



Technical Data **Vertical Multistage - SBN 32-5 NEMA**

Revision no.

Page:

1

Receiver

From

Company name
Respons. Department
Person in charge
Phone number
Fax no
E-mail address




Brand: Gol Pumps

Model: SBN 32-5



Dimensions:



60Hz Pump type	Motor P2		Volts	SBI		
			Three phase	NEMA Frame	Dimensions[inch]	Weights[lbs]
	[KW]	[HP]			ANSI flange H1	ANSI flange
SBN 32-5	15	20	208-230/440-460V	254 TC	35-18	157.8

Project

Project ID

Created by

Created on

Last update



Performance Curves

Vertical Multistage - SBN 32-5 NEMA

Revision no.

Page:


2

Receiver

From

Company name
Respons. Department
Person in charge
Phone number
Fax no
E-mail address

Model	Port Size (in.)		Flow	HP	Volts	Amps	Phase	Max. Head	Max. Suction	Max. PSI
	DNA	DNM	GPH		V	I Max.	Ph	Ft.	Ft.	
SBN 32-5	2 1/2	2 1/2	12600	25	220/480	59.7/28.5	Three	469	17	205



Project

Project ID

Created by

Created on

Last update



Parts and Materials

Vertical Multistage - SBN 32-5 NEMA

Revision no.


Page:

3

Receiver

From

Company name
Respons. Department
Person in charge
Phone number
Fax no
E-mail address

**Parts List****Material****Standard**

36	Pump Head	Stainless Steel	AISI 316
53	Motor Bracket	Cast Iron	ASTM 35B
18	Impeller	Stainless Steel	AISI 316
37	Shaft	Stainless Steel	AISI 316
48	Outer Sleeve	Stainless Steel	AISI 316
82	O-ring for Outer Sleeve	EPDM	
12	Chamber	Stainless Steel	AISI 316
24	Neck Ring	Carbon Fiber + POB + PTFE	
59	Base	Stainless Steel	AISI 316
62	Base Plate	Cast Iron	ASTM 35B
57	Mechanical Seal	Cartridge Type	
14	Bearing Ring	POB + Graphite + PTFE	
42	Bottom Bearing Ring	Tungsten Carbide	

Project

Project ID

Created by

Created on

Last update